



**SMP TERMS AND CONDITIONS APPLY – SEE WEBSITE**

**(EN) Manual of the SMP mask (SPECIAL MASK PERFORMANCE)**

This SMP mask has the advantages of a replaceable mask and goggles. This makes all the difference in your daily (training/sports) situation. This mask is a special tool for your adventure in the field or training simulation. Do you use two parts of the mask or just one? This anti-fog mask will make your day complete and safe!

The goggles with the anti-fog fan and the mask are attached to each other and can also be detached from each other if desired. Of course, you can also swap parts for other colors, for example. This mask is not only very suitable for your head with attachment, but also for a combination with your helmet.

We have different colors, different lenses, different cases, cables, power supplies, and more. You no longer have to worry about any condensation on your lens while exercising. This mask will have your back during cold, rainy, windy, or hot conditions. It does its job both indoors and outdoors, just don't forget your power supply and proper maintenance measures.

**The mask meets multiple certificates to ensure your safety. CE conformity, ROHS, EN-71 standards, ANSI Z87.1- and European EN166 standards. This mask is therefore not only very useful for airsoft BB impact, but also for defensive (government) training purposes with simunition ammunition of different caliber(s).**

**REGULARLY CHECK THE INTEGRITY OF THE SMP MASK. IF THERE IS ANY DAMAGE, STOP USING IT IMMEDIATELY FOR YOUR OWN SAFETY.**



## **IMPORTANT INFORMATION/AFTERCARE TO TAKE INTO ACCOUNT!**

- **THE MASK GIVES PLEASURE, WHEN IT IS HANDLED ACCORDING TO MANUAL.**
- **REGULARLY CHECK THE INTEGRITY OF THE SMP MASK. IF THERE IS ANY DAMAGE, STOP USING IT IMMEDIATELY FOR YOUR OWN SAFETY.**
- **PRECAUTIONS: AVOID EXPOSURE TO HIGH TEMPERATURES AND CHEMICALS**
- **MAKE SURE THAT THE WIRE (CONNECTING CORD) IS NOT TANGLED TO ANYTHING, TWISTED OR STORED INCORRECTLY DURING USE. THIS PREVENTS CONNECTION INTERRUPTIONS.**
- **STORAGE AND TRANSPORTATION: STORE IN A SUITABLE, DRY, SHADY PLACE AND AVOID CONTACT WITH HARD OR HEAVY OBJECTS.**
- **CLEAN THE MASK WITH A VERY SLIGHTLY DAMP CLOTH. REMOVE SWEAT AND DIRT FROM THE MASK. USE THE OPTIC CLEANER FOR BETTER RESULTS**
- **LET THE MASK AIR OUT AFTER USE (LET IT DRY BEFORE IT IS 100% AIR-sealed)**
- **TRANSPORT THE MASK IN A SUITABLE CASE OR BAG. AVOID UNNECESSARY DAMAGE.**
- **CRYSTAL FORMATION IN THE LENS CAN ONLY OCCUR IF THE MASK IS NOT CAREFULLY AIRED AFTER USE.**
- **SMP TERMS AND CONDITIONS APPLY – SEE WEBSITE**

### **1) Product Description**

The SMP (Tactical anti fog mask) mask is a protective device designed for military personnel, law enforcement, and airsoft or sports hobbyists who operate or train in extreme or fanatical environments. The SMP mask features excellent anti-fog resistance, cold and hot resistance, dust resistance, effectively protects the user's face and respiratory system.

### **2) Main Features of the SMP Mask:**

1. High-quality anti-fog coating: The special anti-fog material prevents the formation of condensation and fog and provides a clear view during use.
2. Thermal insulation: The inner lining is made of thermal insulation material to prevent cold effectively withstand environments and maintain comfort.
3. Comfortable fit: The design of the mask adapts to the shape of the human face and ensures a comfortable fit, providing effective protection is guaranteed.
4. Durable materials: It is made of wear-resistant and impact-resistant materials, it is durable and suitable for a variety of complex environments.

### **3) Use of an SMP mask**

1. Cleanse your face: Make sure your face is free of any oil or dirt before use to maintain the adhesion and optimize the protective effect of the mask .
2. Wear the mask: unfold the mask and place it over the face, starting from the working at the bottom and upwards. Adjust the position to ensure a tight seal. guarantee.
3. Tighten the straps: Tighten the mask straps to achieve a comfortable fit and at the same time ensuring that the mask remains in good contact with the face.
4. Check the protective effect: check whether the mask covers the nose and mouth area completely covered and that the field of vision is clear. If necessary, clean the lens.
5. If you notice any discomfort or abnormalities during use, stop using the use of the mask and seek professional medical advice.

#### 4) Caution when using the SMP mask

1. To avoid damage, do not expose the SMP mask to high or extreme temperatures.
2. Avoid contact between the SMP mask and sharp objects or hot surfaces to avoid avoid scratches or burns.
3. Regularly check the integrity of the SMP mask. If there is any damage or cracks, stop then immediately with the use to ensure your own safety.
4. If you notice any discomfort or abnormalities during use, such as difficulty breathing or skin irritation, then discontinue use immediately and seek professional medical advice.

#### 5) Product Specification

- A) Product Name: Tactical Anti-Fog Mask.
- B) Merk: SMP-masker (Special Mask Performance)
- C) Basic product consists of: the mask with an anti-fog fan, lens, adjustable headband. Of course, this mask can be expanded with various attributes. The various Options are: a head strap for your helmet incl. helmet clips, various connector cables, a battery holder, a power bank, various pouches for the battery, EU plug with charger and to be able to store it well of course a storage bag! At a glance You can discover all the possibilities at SMP.

#### 6) Basic data of the SMP mask

Mask dimensions	Weight	Weight carton	Max. Carton quantity
21 × 20 CM	0.6 KG	12 KG	20 PCS
Cardboard format	Gross weight	Large weight carton	Mask Packaging
57×43×45CM	0.70KG	12.60KG	In color box / bag

#### 7) The 3 colors of the SMP mask

Black, Tan in Multicam.



#### 8) Glasses and lens

The glasses are safety glasses that are used to protect your eyes from dust, splashes, impact and other harmful elements. It features high definition and impact resistance. Equipped with the EN166, ANSI and the CE mark.

**The lens of the glasses is the transparent lens with 99% light transmittance, the same as the black color lens of the glasses as an option.**



#### Features of the glasses and lens

1. High definition: It is made of high-quality optical glass and provides clear vision without obstruction.
2. Impact-resistant design: the frame and lenses are specially treated to provide a certain resistance of impact.
3. Comfortable wearing: with lightweight material, reducing fatigue when wearing for long periods of time is reduced.
4. Multiple styles available: different colors and styles available to meet different needs.

### **Instructions for use of the glasses and lens**

1. Wear & Adjust: Place the goggles in the correct position and adjust the straps for a comfortable fit.
2. Cleaning and maintenance: clean the lenses and frame regularly with a gentle cloth to prevent deformation and scratches.
3. Replace filter (lens): replace the color filters if necessary.
4. Precautions: Avoid exposure to high temperatures and chemicals to damage.
5. Make sure that the wire (connecting cord) is not caught in any way, twisted or misplaced incensed before use. This prevents unnecessary accelerated wear and tear of the cable and/or cable breaks. The wire must be able to move freely.

### **Precautionary measures**

1. Target audience: suitable for general use, please choose the right style according to the individual needs.
2. Storage and transport: store in a suitable, dry and shady place and contact Avoid hard and heavy objects.
3. Contraindications: Not suitable for people who are allergic to optical materials.
4. Maintenance and repair: Contact a professional for repair if the mask damaged or malfunctioning. **Contact your local dealer/reseller.**

### **Aftercare of the glasses and lens**

1. Clean the mask with a **VERY LIGHT** and damp (soft) cloth. Remove sweat and dirt from the mask. Use SMP's Optic Cleaner as advised.
2. Let the mask air out after use, so that all the moisture can escape and only then tidy up.
3. Transport the mask in a suitable case or bag. Avoid unnecessary damage.
4. Crystal formation in the lenses can only occur if the mask is not used carefully after use. is ventilated.

Here's how to change the lens:



**A) Removing the lens from the glasses in two steps:**

**Step 1**

Hold the upper and lower frame of the glasses with two hands, pull with one hand to remove point 2 and point 3, as Figure A shows below.

**Step 2**

Hold point 1 and point 4 as shown in Figure B below. Pull the rubber frame of the goggles so that the lens separates from the goggles. Then you can remove the lens from the glasses.

Photograph A



Photograph B



**B) Install the lens on the glasses in two steps.**

**Step 1**

Place the lens in point 5 ,6 ,7 ,8 and make sure the lens is in the lower frame of the goggles, as Figure C shows below.

**Step 2**

Press the upper part of the lens to drop it into the upper frame of the glasses, and then press point 1 ,2 ,3 ,4 to fully insert the lens into the glasses, see figure D below.

Photograph C



Photograph D



**9) How do you disassemble/replace the strap of the glasses?**

In the image below with a red circle, a black rubber head can be seen, this is the point to disassemble the strap of the glasses.



Hold the mask with one hand, the black rubber connector with the other hand and pull it. The strap can then be easily removed from the glasses.



### 10) How to disassemble/change the mask goggles?

The black rubber head in the red circle is the connecting rubber socket that connects the glasses and connect the mask. There are two steps to disassemble the goggles from the mask.



#### Step 1

Pull the rubber head out a little bit, then change the position to the right side, as shown in the two pictures below. The two images are the back of the rubber head.

Image with red: Before you move the header Image with yellow: After moving the heading.



**Step 2**

Hold the edge of the mask with one hand, the edge of the goggles with the other, and pull on it to be able to separate the goggles and mask. See the two images below for details.

Hold the edge of the mask with one hand The other hand holds the edge of the goggles



**Step 3**

The rubber head of the goggles is removed from the mask.



**Step 4**

Pull the goggles and mask away from each other with two hands to separate them as two parts.



**Step 5**

The goggles and mask are now separated into two parts.



11)The detail of the mask with strap and helmet clip attached to the rail of the helmet (see photo)



←  
ATTACH THE CLIP  
ACCORDING TO  
PHOTO  
(LIP DOWN)

12) The detail of the connection of the mask to the battery holder.



13) The inner photo of the battery holder of the 4pcs AAA battery.



14) The detail of the battery pouch attached to the helmet and connected to the fan in the mask by means of Velcro (model may vary).



Options for the battery bank pouch:

A: On the helmet

B: On the side of The Helmet

## **15) Complete set checklist**

### **1) SMP BASIC – PACKAGE**

SMP MASK BLACK WITH CLEAR LENS + STRAP ATTACHMENT CONNECTOR

EXTRA BLACK LENS (2)

EXTRA SPARE REPLACEMENT PLUGS (NAILS) FOR MASK/ STRAP (43)

SOFT CLEANING CLOTH (42)

ADJUST. NORM. ATT. HEADSTRAP+BUCKLE (NOT FOR HELMET) BLACK (5)

POWERBANK (SQUARE) BLACK + CHARGING CABLE. & EU PLUG (17)

CONNECTION CABLE 20 CM FOR POWERBANK TO FAN (12)

STORAGEBAG WITH PRINTED SMP LOGO (40)

MANUAL SMP MASK (48)

(CUSTOM LOGO POSSIBLE 150+ ORDER)

### **2) SMP PRO – PACKAGE**

SMP MASK BLACK – WITH CLEAR LENS + STRAP ATTACHMENT CONNECTOR

EXTRA BLACK LENS (2)

EXTRA SPARE REPLACEMENT PLUGS (NAILS) FOR MASK/ STRAP (43)

SOFT CLEANING CLOTH (42)

ADJUST. NORM. ATT. HEADSTRAP+ BUCKLE (NOT FOR HELMET) BLACK (5)

POWERBANK (SQUARE) BLACK + CHARGING CABLE. & EU PLUG (17)

CONNECTION CABLE 20 CM FOR POWERBANK TO FAN (12)

STORAGEBAG WITH PRINTED SMP LOGO (40)

MANUAL SMP MASK (48)

(CUSTOM LOGO POSSIBLE 150+ ORDER)

### **DIFFERENCE COMPARED WITH BASIC SMP:**

ADJUST. ATT. HELMET HEADSTRAP +BUCKLE & FMA 36MM CLIPS BLACK(6)

BATTERY BANK 4XAAA+CONNECTION TO FAN CABLE.NO BATTERIES (15)

CONNECTION CABLE 15 CM FOR POWERBANK TO FAN (11)

EXTRA SPARE HELMET CLIPS FMA GOGGLE SWIVEL 36MM BLACK (8)

OPTIC LENS CLEANER 100ML (4)

### **3) SMP POLICE/ PACKAGE**

SMP MASK BLACK – WITH CLEAR LENS + STRAP ATTACHMENT CONNECTOR

EXTRA SPARE REPLACEMENT PLUGS (NAILS) FOR MASK/ STRAP (43)

SOFT CLEANING CLOTH (42)

ADJUST. NORM. ATT. HEADSTRAP+ BUCKLE (NOT FOR HELMET) BLACK (5)

STORAGE BAG WITH PRINTED SMP LOGO (40)

MANUAL SMP MASK (48)

(CUSTOM LOGO POSSIBLE 150+ ORDER)

#### **DIFFERENCE COMPARED WITH BASIC SMP:**

EXTRA CLEAR LENS (1)

OPTIC LENS CLEANER 100ML (4)

ADJUST. HELMET ATT. HEADSTRAP +BUCKLE&FMA 36MM CLIPS BLACK (6)

BATTERY BANK 4XAAA+CONNECTION TO FAN CABLE.NO BATTERIES (15)

EXTRA SPARE HELMET CLIPS FMA GOGGLE SWIVEL 36MM BLACK (8)

#### **NOT INCLUDED:**

POWERBANK (SQUARE) BLACK + CHARGING CABLE. & EU PLUG (17)

CONNECTION CABLE 20 CM FOR POWERBANK TO FAN (12)

EXTRA BLACK LENS (2)

## ACCESSORIES

- 1 SPARE CLEAR LENS
- 2 SPARE BLACK LENS
- 3 GOGGLE INSERT
- 4 MASK OPTIC CLEANER 100ML
- 5 HEADSTRAP ATT, NORMAL ADJUSTABLE WITH BUCKLE – BLACK
- 6 HEADSTRAP FOR ATTACHMENT TO HELMET WITH BUCKLE – BLACK
- 7 MASK STRAP ATTACHMENT CONNECTOR
- 8 HELMET CLIPS FMA – BLACK – TAN – OLIVE – Goggle Swivel Clips 36mm
- 9 HELMET CLIPS FMA – BLACK – TAN – OLIVE – Goggle Swivel Clips 19mm
- 10 HELMET CLIPS EMERSON – BLACK – Goggle Swivel Clips SET
- 11 CONNECTION CABLE 15CM
- 12 CONNECTION CABLE 20 CM
- 13 CONNECTION CABLE 40 CM
- 14 CONNECTION CABLE 100 CM
- 15 BATTERY BANK 4 PCS AAA + CONNECTION CABLE
- 16 POWERBANK SQUARE BLACK
- 17 POWERBANK SQUARE BLACK WITH BATTERY – CHARGE CABLE AND EU PLUG
- 18 POWERBANK BATTERY (ACCU) REPLACEMENT 18650 BATTERY 3.7V 2600MAH (AIRSOFTZONE)
- 19 EU PLUG NITECORE
- 20 EU PLUG
- 21 POWERBANK CHARGING CABLE
- 22 SUPER LIFE AAA BATTERIES 4 PCS VARTA
- 23 LONG LIFE AAA BATTERIES 4 PCS VARTA
- 24 AAA ENERGIZER 8,9 7,36 AIRSOFTZONE
- 25 RECHARGEABLE AAA BATTERIES 4 PCS VARTA 1000MAH
- 26 CHARGER FOR DIFFERENT BATTERIES (AA, AAA,LITHIUM) 2 PCS NITECORE I2
- 27 CHARGER FOR DIFFERENT BATTERIES (AA, AAA, LITHIUM) 4 PCS – NITECORE I4
- 28 POUCH WITH STRONG VELCRO (FITS BATTERYBANK 4PCS AAA) WOLF GREY/ BLACK
- 29 POUCH WITH STRONG VELCRO (FITS POWERBANK SQUARE) WOLF GREY/ BLACK
- 30 TAILOR WAIST BELT POUCH (FOR ON THE HIP BELT FOR POWERBANK) WOLF GREY
- 31 HELMET POUCH FMA (BLACK/COYOTE)
- 32 POUCH FITS SQUARE POWERBANK BACKSIDE FOR THE HELMET WITH SCREW  
(FITS POWERBANK) BLACK – TAN – MULTICAM
- 33 MK2 BATTERY CASE FOR HELMET BLACK – COYOTE – MULTICAM – MULTICAM TROPIC
- 36 FAST HELMET PJ ECO VERSION
- 37 FAST HELMET PJ CARBON FIBER VERSION
- 38 TEAM WENDY EXFILL LTP BUMP DUPLICATE
- 39 FAST HELMET SIDE COVER BLACK – COYOTE – OLIVE
- 40 HELMET (MASK) STORAGE BAG BLACK – CUSTOM DESIGN ORDER 150+
- 41 SPARE MOUTH PROTECTION MULTICAM – TAN – BLACK – MULTICAM BLACK
- 42 SPARE CLOTH
- 43 SPARE NAILS REPLACEMENT



- 44 SPARE FAN REPLACEMENT
- 45 SPARE FAN REPLACEMENT (SET) FAN AND POWER CABLE
- 46 SPARE VELCRO 50CM ROLL
- 47 FMA SPARE VELCRO HELMET
- 48 MANUAL SMP MASK (NL AND EN) A6 (38)

**Article 9. Warranty & Compliance + SMP TERMS AND CONDITIONS APPLY – SEE WEBSITE**

9.1. This article only applies in the case of a Client who is not acting in the exercise of his profession or business. If a separate warranty is given on the products by (SMP) Special Mask Performance, this applies to all types of Customers, without prejudice to the above.

9.2. (SMP) Special Mask Performance guarantees that the products comply with the Agreement, the specifications stated in the offer, the reasonable requirements of soundness and/or usability and the legal provisions and/or government regulations existing on the date of the conclusion of the Agreement. If specifically agreed, (SMP) Special Mask Performance also guarantees that the product is suitable for other than normal use.

9.3. A warranty provided by (SMP) Special Mask Performance, manufacturer or importer does not affect the legal rights and claims that the Customer already has and can invoke on the basis of the Agreement.

9.4. If the delivered product does not comply with the Agreement, the Client must notify Special Mask Performance within a reasonable period of time after it has discovered the defect (SMP).

9.5. If (SMP) Special Mask Performance deems the complaint to be well-founded, the relevant products will be repaired, replaced or reimbursed after consultation with the Client. The maximum compensation is, with due observance of the Article regarding liability, equal to the price paid by the Customer for the product.

**9.6. REGULARLY CHECK THE INTEGRITY OF THE SMP MASK. IF THERE IS ANY DAMAGE, STOP USING IT IMMEDIATELY FOR YOUR OWN SAFETY.**

**Article 10. Warranty on business purchases + SMP TERMS AND CONDITIONS APPLY – SEE WEBSITE**

**10.1. (SMP) Special Mask Performance guarantees that the products comply with the Agreement, the specifications stated in the offer, the reasonable requirements of soundness and/or usability and the legal provisions and/or government regulations existing on the date of the conclusion of the Agreement. If specifically agreed, (SMP) Special Mask Performance also guarantees that the product is suitable for other than normal use. Otherwise, the product is suitable for normal use.**

**10.2. If the delivered product does not comply with the Agreement upon delivery, the Client must notify Special Mask Performance within a reasonable period of time after it has discovered the defect (SMP).**

**10.3. If (SMP) Special Mask Performance deems the complaint to be well-founded, the relevant products will be repaired, replaced or (partially) reimbursed after consultation with the Client.**

**10.4. REGULARLY CHECK THE INTEGRITY OF THE SMP MASK. IF THERE IS ANY DAMAGE, STOP USING IT IMMEDIATELY FOR YOUR OWN SAFETY.**

**-END MANUAL-**



**SMP**  
SPECIAL MASK PERFORMANCE

For all order details, spare parts or product requests, please contact us!

Website

[www.specialmaskperformance.nl](http://www.specialmaskperformance.nl)

Email:

[info@specialmaskperformance.nl](mailto:info@specialmaskperformance.nl)

**SMP TERMS AND CONDITIONS APPLY – SEE WEBSITE**

